

## 研究論文

NUMBER OF PAPER FOR YEAR

Year	Year	#	Year	#	Year	#
2032	2021	10	2010	9	1999	3
2031	2020	7	2009	15	1998	3
2030	2019	6	2008	10	1997	5
2029	2018	11	2007	4	1996	3
2028	2017	9	2006	4	1995	1
2027	2016	10	2005	4		
2026	2015	10	2004	6		
2025	2014	8	2003	11		
2024	2013	10	2002	11		
2023	2012	9	2001	8		
2022	5	2011	16	2000	3	Total 211

- 1) S. Horikoshi, Y. Arai, H. Mura, N. Serpone, Curing of an epoxy adhesive with fixed-frequency microwaves in the presence of a microwave absorber (activated carbon) and with the variable frequency microwave method, *J. Appl. Poly. Sci.*, **139**, DOI: 10.1002/app.53010 (2022).
- 2) S. Horikoshi, H. Tanizawa, A. Sawai, N. Serpone, Low-temperature microwave-driven thermochemical generation of hydrogen from steam reforming of alcohols over magnetite, *Inter. J. Hydrogen Energy*, **47**, pp. 23520–23529 (2022).
- 3) S. Horikoshi, M. Iwabuchi, M. Kawaguchi, S. Yasumasu, N. Serpone, Uptake of nanoparticles from sunscreen physical filters into cells arising from increased environmental microwave radiation: Increased potential risk of the use of sunscreens to human health, *Photochem. Photobiol. Sci.*, doi.org/10.1007/s43630-022-00259-3 (2022).
- 4) K. Okumura, A. Saeki, M. Hojo, T. Takizawa, S. Horikoshi, Elucidation of the principle of microwave rubber vulcanization based on dielectric parameters and vulcanization of tire rubber by variable frequency microwave, *J. Appl. Poly. Sci.*, **139**, pp. e52909 (2022).
- 5) 堀越 智, 化学反応への独創的なマイクロ波エネルギーの利用法 —マイクロ波不均一微視的熱エネルギー(MHME), マイクロ波電磁波 エネルギー(MEME), マイクロ波誘導液内プラズマ(MILP)を例に—、*金属*, **92**, pp. 2031–2038 (2022).
- 6) S. Horikoshi, N. Kimura, N. Serpone, Development of a microwave-discharge light-emitting diode (MDLED): A novel UV source for UV-driven microwave-assisted TiO<sub>2</sub> photocatalysis in treating contaminated wastewaters, *Photochem. Photobiol. Sci.*, 10.1007/s43630-021-00118-7 (2021).

- 7) S. Horikoshi, L. Takahashi, K. Sueishi, H. Tanizawa, N. Serpone, Microwave-driven hydrogen production (MDHP) from water and activated carbons (ACs). Application to wastewaters and seawater, *RSC Adv.*, **11**, pp. 31590–31600 (2021).
- 8) D. Sakemi, S. Horikoshi, Verification of microwave effects on molecular clusters by using supersonic molecular jets, *J. Oleo Sci.*, **70**, pp. 1517-1525 (2021).
- 9) S. Horikoshi, S. Sawada, N. Serpone, A novel green chemistry gelation method for polyvinyl pyrrolidone (PVP) and dimethylpolysiloxane (silicone): microwave- induced in-liquid-plasma, *RSC Adv.*, **11**, pp. 24326–24335 (2021).
- 10) K. Hagiwara, S. Horikoshi, N. Serpone, Photoluminescent carbon quantum dots: synthetic approaches and photophysical properties (Review), *Chem. - A Europ. J.*, **27**, pp. 1–17 (2021).
- 11) K. Hagiwara, N. Serpone, S. Horikoshi, Luminescent monodispersed carbon quantum dots by a microwave solvothermal method toward bioimaging applications, *J. Photochem. Photobiol. A:Chem.*, **415**, pp. 113310–113327 (2021).
- 12) S. Horikoshi, Y. Arai, N. Serpone, In search of the driving factor for the microwave curing of epoxy adhesives and for the protection of the base substrate against thermal damage, *Molecules*, **26**, pp. 2240–2257 (2021).
- 13) S. Horikoshi, S. Yamazaki, Y. Arai, D. Sakemi, M. Yoshizawa-Fujita, N. Serpone, Synthesis of recyclable magnetic cellulose nanofibers from ionic liquids for practical applications in separation science, *J. Oleo Sci.*, **70**, pp. 737–743 (2021).
- 14) U. Chitete-Mawenda N. Serpone, S. Horikoshi, Development of a Hg - free UV light source incorporating a Kr/Br<sub>2</sub> gas, and its application for wastewater treatments, *Photochem. Photobiol. Sci.*, **20**, pp. 101–111 (2021).
- 15) D. Sakemi, N. Serpone, S. Horikoshi, Search for the microwave nonthermal effect in microwave chemistry: synthesis of the heptyl butanoate ester with microwave selective heating of a sulfonated activated carbon catalyst, *Catalysts*, **11**, pp. 466–480 (2021).
- 16) 萩原健太, 堀越 智, 高量子収率・高安定型カーボン量子ドットの合成におけるマイクロ波選択加熱の優位性の検討、*JEMEA J.*, **4**, pp. 24–28 (2020).

- 17) 酒見大輔, 鮫島実桜里, 堀越 智, 脱メチル化反応およびエステル化反応を用いたマイクロ波化学合成における電磁波効果の検証, 材料技術研究協会誌, 38, pp. 1–6 (2020).
- 18) 堀越 智, 触媒反応における電磁波エネルギーの利用 — 環境、エネルギー、生物を例に, 触媒, 62, pp. 304–308 (2020).
- 19) S. Horikoshi, Y. Arai, I. Ahmad, C. DeCamillis, K. Hicks, B. Schauer, N. Serpone, Application of variable frequency microwaves in microwave-assisted chemistry: relevance and suppression of arc discharges on conductive catalysts, *Catalysts*, **10**, doi:10.3390/catal10070777 (2020).
- 20) K Hagiwara, H. Uchida, Y. Suzuki, T. Hayashita, K. Torigoe, T. Kida, S. Horikoshi, Role of alkan-1-ol solvents in the synthesis of yellow luminescent carbon quantum dots (CQDs): van der Waals force-caused aggregation and agglomeration, *RSC Advance*, **10**, pp. 14396–14402 (2020).
- 21) S. Horikoshi, S. Sawada, A. Tsuchida, N. Serpone, Enhanced degradation of organic pollutants with microwave-induced plasma-in-liquid (MPL): Case of flame retardant Tetrabromobisphenol-A in alkaline aqueous media, *J. Oleo Sci.*, **69**, pp. 261–269 (2020).
- 22) S. Horikoshi, N. Serpone, Can the photocatalyst TiO<sub>2</sub> be incorporated into a wastewater treatment method? Background and prospects, *Catal. Today*, Special issue, **340**, pp. 334–346 (2020).
- 23) S. Horikoshi, D. Yamamoto, K. Hagiwara, A. Tsuchida, I. Matsumoto, Y. Nishiura, Y. Kiyoshima, N. Serpone, Development of a Hg-free UV light source and its performance in photolytic and photocatalytic applications, *Photochem. Photobiol. Sci.*, **18**, pp. 328–335 (2019).
- 24) M. Q. Tran, K. Nakata, N. Serpone, S. Horikoshi, Microwave-/UV-assisted enhancement of the wettability of photoactive TiO<sub>2</sub> substrates coated on an inactive Ti/i-TiO<sub>2</sub> base, *J. Oleo Sci.*, **68**, pp. 967–975 (2019).
- 25) S. Horikoshi, K. Nakamura, M. Yashiro, K. Kadomatsu, N. Serpone, Probing the effect(s) of the microwaves' electromagnetic fields in enzymatic reactions, *Sci. Rep.*, **9:8945**, pp. 1–11 (2019) DOI: 10.1038/s41598-019-45152-9.
- 26) S. Horikoshi, S. Sawada, S. Sato, N. Serpone, Microwave-driven in-liquid plasma in

chemical and environmental applications. III. Examination of optimum microwave pulse conditions for prolongation of electrode lifetime, and application to dye-contaminated wastewater, *Plasma Chem. Plasma Process.*, **39**, pp. 51–62 (2019).

- 27) S. Horikoshi, N. Serpone, Microwave flow chemistry as a methodology in organic syntheses, enzymatic reactions, and nanoparticle syntheses (Review), *Chem. Rec.*, **19**, pp. 118–139 (2019).
- 28) 堀越 智, キッチンから抜け出した電子レンジ, *化学と教育*, **67**, pp. 356–357 (2019). - No peer-reviewed
- 29) M. Q. Tran, K. Nakata, S. Horikoshi, Improvement of wettability of photocatalytic TiO<sub>2</sub>–coated wafers by microwave/UV pre-treatment, *J. Oleo Sci.*, **67**, pp. 1171–1175 (2018).
- 30) M. Q. Tran, Y. Yamaguchi, K. Yamatoya, S. Horikoshi, K. Nakata, Rewritable superhemophobic and superhemophilic wettability pattern based on titanium dioxide with Ag loading, *Inorg. Chem. Comm.*, **96**, pp. 1–4 (2018).
- 31) S. Horikoshi, T. Watanabe, A. Narita, Y. Suzuki, N. Serpone, The electromagnetic wave energy effect(s) in microwave–assisted organic syntheses (MAOS), *Sci. Rep.*, **8:5151**, pp. 1–10 (2018) DOI:10.1038/s41598-018-23465-5.
- 32) A. Tsuchida, K. Oshimo, S. Horikoshi, Microwave discharge electrodeless lamps (MDELs). Part XI. Photolytic, chemical oxidation, and photocatalytic treatment of aqueous urea solution with a novel MDEL photoreactor, *J. Oleo Sci.*, **67**, pp. 917–924 (2018).
- 33) A. Tsuchida, T. Shimamura, S. Sawada, S. Sato, N. Serpone, S. Horikoshi, In-liquid Plasma. A stable light source for advanced oxidation processes in environmental remediation, *Radiation Phys. Chem.*, **147**, pp. 53–58 (2018).
- 34) 土田晃大, 堀越智, 光反応容器一体型マイクロ波励起電極ランプ(MDEL)の開発とこれを用いたガソリン臭およびカビ臭の連続脱臭に関する研究, *材料技術研究協会誌*, **4**, pp. 106–112 (2018).
- 35) M. Q. Tran, S. Horikoshi, K. Nakata, Photodegradation mechanism for indole-3-acetic acid at the TiO<sub>2</sub>/H<sub>2</sub>O interfaces, *Mater. Lett.*, **35**, pp. 165–171 (2018).

- 36) 堀越 智, マイクロ波刺激による植物の有効育成, 農業電化, **70**, pp. 13–16 (2018). - No peer-reviewed.
- 37) 堀越 智 (特集号監著), 次世代パワー半導体を用いたマイクロ波加熱・エネルギー応用技術, 工業材料, **66**, pp. 15–18, (2018). - No peer-reviewed.
- 38) 堀越 智, RF パワー半導体デバイスを用いた電子レンジや植物への応用, 工業材料, **66**, pp. 50–56, (2018). - No peer-reviewed.
- 39) M. Q. Tran, K. Nakata, S. Horikoshi, Improvement of wettability of photocatalytic TiO<sub>2</sub>-coated wafers by microwave/UV pre-treatment, *J. Oleo Sci.*, **67**, pp. 1171–1175 (2018).
- 40) S. Horikoshi, N. Serpone, in-Liquid plasma: A novel tool in the fabrication of nanomaterials and in the treatment of wastewater, *RSC Advance*, (Review), **7**, pp. 47196–47218 (2017).
- 41) N. Serpone, Y. M. Artemev, V. K. Ryabchuk, A. V. Emeline, S. Horikoshi, Light-driven advanced oxidation processes in the disposal of emerging pharmaceutical contaminants in aqueous media: A brief review, *Current Opinion Green Sustainable Chem.*, (Review), **6**, pp. 18–33 (2017).
- 42) 堀越 智, 佐藤 進, 液中プラズマ-ナノ粒子合成、水処理、水素燃料生成への応用(総説), 色材協会誌, **90**, pp. 197–205 (2017).
- 43) 堀越 智, マイクロ波加熱の特徴を生かした化学合成、環境保全、水素エネルギー、植物有効育成、パワー半導体式電子レンジへの研究, 鉱山, **761**, pp. 3–13 (2017). - No peer-reviewed.
- 44) 堀越 智, パワー半導体デバイスを用いたマイクロ波加熱・エネルギー応用技術, エレクトロヒート, **215**, pp. 1–6 (2017). - No peer-reviewed.
- 45) 土田 晃大, 堀越 智, 液中プラズマを用いた水処理技術 基礎からその応用例まで, クリーンテクノロジー, **8**, pp. 54–58 (2017). - No peer-reviewed.
- 46) 堀越 智, マイクロ波有機ハイドライド法による省エネ型水素輸送および貯蔵技術の開発, クリーンエネルギー, **7**, pp. 15–23 (2017). - No peer-reviewed.
- 47) 堀越 智, マイクロ波環境浄化技術, 機能材料, **37**, pp. 42–51 (2017). - No peer-reviewed.

- 48) S. Horikoshi, T. Minagawa, S. Tsubaki, A. Onda, N. Serpone, Is selective heating of the sulfonic acid catalyst AC-SO<sub>3</sub>H by microwave irradiation crucial in the acid hydrolysis of cellulose to glucose in aqueous media? *J. Catalysis*, **7**, pp. 231–244 (2017).
- 49) N. Suzuki, T. Umeda, T. Sumi, S. Horikoshi, H. Kuwahara, T. Toyama, Y. Musha, K. Itatani, Rapid formation of hydroxyapatite layer on polyetheretherketone by vacuum ultraviolet irradiation and microwave heating techniques, *J. Ceramic Soc. Jpn.*, **124**, pp. 49–54 (2016).
- 50) S. Horikoshi, S. Yamazaki, A. Narita, T. Mitani, N. Shinohara, N. Serpone, A novel phased array antenna system for microwave-assisted organic syntheses under *waveguideless* and *applicatorless* setup conditions, *RSC Advance*, **6**, pp. 113899–113902 (2016).
- 51) V. K. Ryabchuk, V. N. Kuznetsov, A. V. Emeline, Y. M. Artemiev, G. V. Kata'eva, S. Horikoshi, N. Serpone, Water will be the coal of the future – The untamed dream of Jules Verne for a solar fuel, *Molecules*, **21**, pp. 1638–1658 (2016).
- 52) N. Serpone, A. V. Emeline, V. K. Ryabchuk, V. N. Kuznetsov, Y. M. Artem'ev, S. Horikoshi, Why do hydrogen and oxygen yields from semiconductor-based photocatalyzed water splitting remain disappointingly low? Intrinsic and extrinsic factors impacting surface redox reactions, *ACS Energy Lett. (Review)*, **1**, pp. 931–948 (2016).
- 53) S. Horikoshi, Y. Shirasaka, H. Uchida, N. Horikoshi, N. Serpone, Facile preparation of N-doped TiO<sub>2</sub> at ambient temperature and pressure under UV light and 4-nitrophenol as the nitrogen source, *Photochem. Photobiol. Sci.*, **15**, pp. 1061–1070 (2016).
- 54) S. Horikoshi, K. Nakamura, M. Kawaguchi, J. Kondo, N. Serpone, Effect of microwave radiation on the activity of catalase. Decomposition of hydrogen peroxide under microwave and conventional heating, *RSC Advance*, **6**, pp. 48237–48244 (2016).
- 55) S. Horikoshi, M. Kamata, N. Serpone, Energy savings through microwave selective heating of Pd/AC catalyst particulates in a fixed-bed reactor using a vacuum-filled Dewar-like double-walled microwave continuous flow reactor, *Chem. Eng. Technol.*, **39**, pp. 1575–1577 (2016).
- 56) S. Horikoshi, K. Oshimo, T. Sumi, H. Uchida, T. Endo, H. Sakai, N. Serpone, Synthesis of TiO<sub>2</sub> hollow particles with highly dispersed CaCO<sub>3</sub> template particulates and

photoactivity toward a VOC pollutant, *J. Sol-Gel Sci. Technol.*, **78**, pp. 373–381 (2016).

- 57) S. Horikoshi, M. Kamata, T. Sumi, N. Serpone, Selective heating of Pd/AC catalyst in heterogeneous systems for the microwave assisted continuous hydrogen evolution from organic hydrides: Temperature distribution in the fixed-bed reactor, *Inter. J. Hydrogen Energy*, **41**, pp. 12029–12037 (2016).
- 58) S. Horikoshi, T. Nishimura, H. Tsutsumi, N. Serpone, Microwave discharge electrodeless lamps (MDEL). VII. Continuous on-site solar energy remediation of contaminated water, *Chem. Eng. Techn.*, **39**, pp. 102–107 (2016).
- 59) S. Horikoshi, T. Watanabe, M. Kamata, Y. Suzuki, N. Serpone, Microwave-assisted organic syntheses: Microwave effect on intramolecular reactions – the Claisen rearrangement of 1-allyloxy-4-methoxybenzene, *RSC Advance*, **5**, pp. 90272–90280 (2015).
- 60) S. Horikoshi, A. Tsuchida, T. Shinomiya, N. Serpone, Microwave Discharge Electrodeless Lamps (MDELs). Part IX. A novel MDEL photoreactor for the photolytic and chemical oxidation treatment of contaminated wastewaters, *Photochem. Photobiol. Sci*, **14**, pp. 2187–2194 (2015).
- 61) T. Sumi, R. Dillert, S. Horikoshi, A novel microwave thermodynamic model for alcohol with clustering structure in nonpolar solution, *J. Phys. Chem. B*, **119**, pp. 14479–14485 (2015).
- 62) T. Sumi, S. Horikoshi, Microwave selective heating for size effect of water droplet in W/O emulsion with sorbitan fatty acid monostearate surfactant, *Radiation Phys. Chem.*, **114**, pp. 31–37 (2015).
- 63) S. Horikoshi, H. Tsutsumi, H. Matsuzaki, A. Furube, A. V. Emelinec, N. Serpone, *In situ* picosecond transient diffuse reflectance spectroscopy of opaque TiO<sub>2</sub> systems under microwave irradiation and influence of oxygen vacancies on the UV-driven/microwave-assisted TiO<sub>2</sub> photocatalysis, *J. Mater. Chem. C*, **3**, pp. 5958–5969 (2015).
- 64) 土田 晃大, 堀越 智, マイクロ波励起無電極ランプ (MDEL) を用いた水処理技術 東日本大震災から得た教訓に準じた水処理装置設計と評価, *クリーンテクノロジー*, **6**, pp. 51–55 (2015). - No peer-reviewed
- 65) S. Horikoshi, T. Nakamura, M. Kawaguchi, N. Serpone, Enzymatic proteolysis of peptide

- bonds by a metallo-endoproteinase under precise temperature control with 5.8-GHz microwave radiation, *J. Mol. Catal. B: Enzyme*, **116**, pp. 52–59 (2015).
- 66) T. Sumi, R. Dillert, S. Horikoshi, Utilization of the microwave electric or magnetic field in the synthesis of monometallic and bimetallic nanoparticles, *RSC Advance*, **5**, pp. 14637–14645 (2015).
- 67) K. Itatani, T. Sumi, S. Horikoshi, H. Kuwahara, T. Toyama, Y. Musha, T. Umeda, Formation of hydroxyapatite layer on polyetheretherketone by vacuum ultraviolet irradiation and microwave heating techniques, *J. Soc. Inorg. Mater.*, **22**, pp. 66–73 (2015).
- 68) N. Yoshikawa, K. Kashimura, M. Hashiguchi, M. Sato, S. Horikoshi, T. Mitani, N. Shinohara, Detoxification mechanism of asbestos materials by microwave treatment, *J. Hazardous Mater.*, **284**, pp. 201–206 (2015).
- 69) S. Horikoshi, N. Serpone, Coupled microwave/photoassisted methods for environmental remediation, *Molecules*, **19**, pp. 18102–18128 (2014).
- 70) 堀越 智, 鶯見卓也, 小浦節子, 鳥越乾二郎, 阿部正彦, マイクロリアクターとマイクロ波反応装置を用いた Au ナノ粒子の合成, 色材協会誌, 色材協会誌, **87**, pp. 352–355 (2014).
- 71) S. Horikoshi, T. Sumi, S. Ito, R. Dillert, K. Kashimura, N. Yoshikawa, M. Sato, N. Shinohara, Microwave-driven asbestos treatment and its scale-up for use after natural disasters, *Environ. Sci. Technol.*, **48**, pp. 6882–6890 (2014).
- 72) S. Horikoshi, M. Kamata, T. Mitani, N. Serpone, Control of microwave-generated hot spots. Part 6. Generation of hot spots in dispersed catalyst particulates and factors that affect catalyzed organic syntheses in heterogeneous media, *Ind. Eng. Chem. Res.*, **53**, pp. 14941–14947 (2014).
- 73) 堀越 智, マイクロ波照射光触媒による迅速水処理技, 静電気学会誌, **38**, pp. 95–100 (2014).
- 74) S. Horikoshi, N. Serpone, Role of microwaves in heterogeneous catalytic systems, *Catal. Sci. Technol.*, **4**, pp. 1197–1210 (2014).
- 75) S. Horikoshi, N. Serpone, On the influence of the microwaves' thermal and non-thermal effects in titania photoassisted reactions, *Catal. Today*, **224**, pp. 225–235 (2014).

- 76) S. Horikoshi, S. Matsuzaki, S. Sakamoto, N. Serpone, Efficient degassing of dissolved oxygen in aqueous media by microwave irradiation and the effect of microwaves on a reaction catalyzed by Wilkinson's catalyst, *Radiation Phys. Chem.*, **97**, pp. 48–55 (2014).
- 77) 堀越 智, 来田文夫, 中出義彦, 高周波誘電加熱を用いた高品質プラスチックレンズの迅速製造技術, *プラスチックス*, **8**, pp. 37–40 (2013). - No peer-reviewed.
- 78) 堀越 智, マイクロ波(非熱)効果の真相は? —マイクロ波を用いた化学反応の促進機構を解明する, *化学*, **68**, pp. 68–69 (2013). - No peer-reviewed.
- 79) S. Horikoshi, Y. Minatodani, H. Tsutsumi, H. Uchida, M. Abe, N. Serpone, Influence of lattice distortion and oxygen vacancies on the UV-driven/microwave-assisted TiO<sub>2</sub> photocatalysis, *J. Photochem. Photobiol. A:Chem.*, **265**, pp. 20–28 (2013).
- 80) S. Horikoshi, A. Osawa, S. Sakamoto, N. Serpone, Control of microwave-generated hot spots. Part V. Mechanisms of hot-spot generation and aggregation of catalyst in a microwave-assisted reaction in toluene catalyzed by Pd-loaded AC particulates, *Appl. Catal. A: General.*, **460–461**, pp. 52–60 (2013).
- 81) S. Horikoshi, S. Sakamoto, N. Serpone, Formation and efficacy of TiO<sub>2</sub>/AC composites prepared under microwave irradiation in the photoinduced transformation of the 2-propanol VOC pollutant in air, *Appl. Catal. B: Environ.*, **140–141**, pp. 646–651 (2013).
- 82) T. Sumi, S. Horikoshi, Microwave's synthesis, extraction, improvement and degradation in oil chemistry, *J. Oleo Sci.*, **62**, pp. 443–451 (2013).
- 83) S. Horikoshi, T. Sumi, N. Serpone, A hybrid microreactor/microwave high-pressure flow system of a novel concept design and its application to the synthesis of silver nanoparticles, *Chem. Eng. Process.: Process Intensification*, **73**, pp. 59–66 (2013).
- 84) S. Horikoshi, A. Osawa, S. Sakamoto, N. Serpone, Control of microwave-generated hot spots. Part IV. Control of hot spots on a heterogeneous microwave-absorber catalyst surface by a hybrid internal/external heating method, *Chem. Eng. Proc.*, **69**, pp. 52–56 (2013).
- 85) S. Horikoshi, T. Sato, M. Abe, Rapid synthesis of Gemini surfactants using a novel 915-MHz microwave apparatus, *J. Oleo Sci.*, **62**, pp. 39–44 (2013).

- 86) S. Helali, F. Dappozze, S. Horikoshi, T. H. Bui, N. Perol, C. Guillard, Kinetics of the photocatalytic degradation of methylamine: Influence of pH and of UV-A/UV-B radiant fluxes, *J. Photochem. Photobiol. A:Chem.*, **255**, pp. 50–57 (2013).
- 87) S. Horikoshi, S. Matsuzaki, T. Mitani, N. Serpone, Microwave frequency effects on dielectric properties of some common solvents and on microwave-assisted syntheses: 2-allylphenol and the C<sub>12</sub>–C<sub>2</sub>–C<sub>12</sub> Gemini surfactant, *Radiation Phys. Chem.*, **81**, pp. 1885–1895 (2012).
- 88) S. Horikoshi, T. Sumi, N. Serpone, Unusual effect of the magnetic field component of the microwave radiation on aqueous electrolyte solutions, *J. Microwave Power Electromagnetic Energy*, **46**, pp. 215–228 (2012).
- 89) 堀越 智, 固体触媒を用いたマイクロ波化学の特徴, ケミカルエンジニアリング, **57**, pp. 73–78 (2012). - No peer-reviewed.
- 90) S. Horikoshi, Y. Suttisawat, A. Osawa, C. Takayama, X. Chen, S. Yang, H. Sakai, M. Abe, N. Serpone, Organic syntheses by microwave selective heating of novel metal/CMC catalysts – The Suzuki–Miyaura coupling reaction in toluene and the dehydrogenation of tetralin in solvent-free media, *J. Catalysis*, **289**, pp. 266–271 (2012).
- 91) N. Serpone, A. V. Emeline, S. Horikoshi, V. N. Kuznetsov, V. K. Ryabchuk, On the genesis of heterogeneous photocatalysis: a brief historical perspective in the period 1910 to the mid-1980s, (Review), *Photochem. Photobiol. Sci.*, **11**, pp. 1121–1150 (2012).
- 92) 鶴見卓也, 堀越 智, マイクロ波加熱を利用したナノ粒子合成の特徴 (総説), 色材協会誌, **85**, pp. 327–338 (2012).
- 93) Y. Suttisawat, H. Sakai, M. Abe, P. Rangsuvigit, S. Horikoshi, Microwave effect in the dehydrogenation of Tetralin and decalin with a fixed-bed reactor, *Inter. J. Hydrogen Energy*, **37**, pp. 3242–3250 (2012).
- 94) Y. Suttisawat, S. Horikoshi, H. Sakai, P. Rangsuvigit, M. Abe, Enhanced conversion of tetralin dehydrogenation under microwave heating: Effects of temperature variation, *Fuel Process. Technol.*, **95**, pp. 27–32 (2012).
- 95) 堀越 智, 環境化学に利用されるマイクロ波, 電気学会誌, **132**, pp. 23–25 (2012).

- 96) 堀越 智, マイクロ波/光触媒法を用いた水中 1,4-ジオキサンの分解, 環境浄化技術, **10**, pp. 34–38 (2011). - No peer-reviewed.
- 97) S. Horikoshi, A. Osawa, M. Abe, N. Serpone, On the generation of hot-spots by microwave electric and magnetic fields and their impact on a microwave-assisted heterogeneous reaction in the presence of metallic Pd nanoparticles on an activated carbon support, *J. Phys. Chem. C.*, **115**, pp. 23030–23035 (2011).
- 98) S. Horikoshi, A. Tsuchida, H. Sakai, M. Abe, N. Serpone, Microwave discharge electrodeless lamps (MDELs). VI. Performance evaluation of a novel microwave discharge granulated electrodeless lamp (MDGEL) - Photoassisted defluorination of perfluoroalkoxy acids in aqueous media, *J. Photochem. Photobiol A:Chem.*, **222**, pp. 97–104 (2011).
- 99) S. Horikoshi, N. Serpone, Microwave frequency effect(s) in organic chemistry, *Mini-Rev. Org. Chem.*, **8**, pp. 299–305 (2011).
- 100) S. Horikoshi, M. Muratani, K. Miyabe, K. Ohmura, T. Hirowatari, N. Serpone, M. Abe, Influence of humidity and of the electric and magnetic microwave radiation fields on the remediation of TCE-contaminated natural sandy soils, *J. Oleo. Sci.*, **60**, pp. 375–383 (2011).
- 101) S. Horikoshi, T. Sato, K. Sakamoto, M. Abe, N. Serpone, Microwave discharge electrodeless lamps (MDEL), Part VII. Photo-isomerization of trans-urocanic acid in aqueous media driven by UV light from a novel Hg-free Dewar-like microwave discharge thermally-insulated electrodeless lamp (MDTIEL). Performance evaluation, *Photochem Photobiol. Sci.*, **10**, pp. 1239–1248 (2011).
- 102) S. Horikoshi, H. Abe, T. Sumi, K. Torigoe, H. Sakai, N. Serpone, M. Abe, Microwave frequency effect in the formation of Au nanocolloids in polar and non-polar solvents, *Nanoscale*, **3**, pp. 1697–1702 (2011).
- 103) S. Horikoshi, S. Sato, M. Abe, N. Serpone, A novel liquid plasma AOP device integrating microwaves and ultrasounds and its evaluation in defluorinating perfluorooctanoic acid in aqueous media, *Ultrasonic Sonochem.*, **18**, pp. 938–942 (2011).
- 104) 堀越 智, 土田晃大, 阿部正彦, 新規粒状マイクロ波励起無電極ランプを用いた1,4-ジオキサンの光分解, 水環境学会誌, **34**, pp. 89–93 (2011).

- 105) M. Nomura, S. Iida, K. Seki, K. Kobayashi, G. Hagino, S. Horikoshi, T. Sugiyama, A. Sugimori, M. Kajitani, Rare direct imidation of aromatic metallacycle by reaction of CpCo(dithiolene) complex with *N*-halosuccinimide, *J. Organometallic Chem.*, **696**, pp. 1723–1728 (2011).
- 106) D. Minami, S. Horikoshi, K. Sakai, H. Sakai, M. Abe, Simulation of dynamic behavior of surfactants on the hydrophobic surface using periodic-shell boundary molecular dynamics, *J. Oleo Sci.*, **60**, pp. 171–176 (2011).
- 107) S. Horikoshi, M. Abe, S. Sato, N. Serpone, Effect of microwave radiation on the (Raman) lattice phonons in selected titanium dioxide solid specimens, *J. Photochem. Photobiol A:Chem.*, **220**, pp. 94–101 (2011).
- 108) 堀越 智, マイクロ波の特性を生かした先導的加熱乾燥技術, *塗装技術*, **50**, pp. 102–107 (2011).
- 109) S. Horikoshi, Y. Minatodani, H. Sakai, M. Abe, N. Serpone, Characteristics of microwaves on second generation nitrogen-doped TiO<sub>2</sub> nanoparticles and their effect on photoassisted processes, *J. Photochem. Photobiol A:Chem.*, **217**, pp. 191–200 (2011).
- 110) D. Minami, S. Horikoshi, K. Sakai, H. Sakai, M. Abe, Dynamic adsorption behavior of surfactants on single-wall carbon nanotubes in aqueous media by experimentation and molecular dynamics simulation, *J. Jpn. Soc. Color Mater.*, **84**, pp. 39–42 (2011).
- 111) S. Horikoshi, D. Minami, S. Ito, H. Sakai, D. Kitamoto, M. Abe, N. Serpone, Molecular dynamics simulations of adsorption of hydrophobic 1,2,4-trichlorobenzene (TCB) on hydrophilic TiO<sub>2</sub> in surfactant emulsions and experimental process efficiencies of photo-degradation and –dechlorination, *J. Photochem. Photobiol. A:Chem.*, **217**, pp. 141–146 (2011).
- 112) S. Horikoshi, A. Osawa, Y. Suttisawat, M. Abe, N. Serpone, A novel Dewar-like reactor for maintaining constant heat and enhancing product yields during microwave-assisted organic syntheses, *Org. Process. Res. Dev.*, **14**, pp. 1453–1456 (2010).
- 113) S. Horikoshi, Y. Akao, T. Ogura, H. Sakai, M. Abe, N. Serpone, On the stability of surfactant-free water-in-oil emulsions and synthesis of hollow SiO<sub>2</sub> nanospheres, *Colloid. Surf. A: Phys. Eng. Asp.*, **372**, pp. 55–60 (2010).
- 114) N. Serpone, S. Horikoshi, A. V. Emeline, Microwaves in advanced oxidation processes

for environmental applications, (Review), *J. Photochem. Photobiol. C: Review*, **11**, pp. 114–131 (2010).

- 115) S. Horikoshi, M. Fukui, K. Tsuchiya, M. Abe, N. Serpone, Microwave specific effects in organic synthesis. A proposed model from the solvent-free synthesis of monoglycerylcetyltrimethyl ammonium chloride, *Chem. Phys. Lett.*, **491**, pp. 244–247 (2010).
- 116) Y. Suttisawat, S. Horikoshi, H. Sakai, M. Abe, Hydrogen production from Tetralin over microwave-accelerated Pt-supported activated carbon, *J. Hydrogen Energy*, **35**, pp. 6179–6183 (2010).
- 117) S. Horikoshi, H. Abe, K. Torigoe, M. Abe, N. Serpone, Access to small size distributions of nanoparticles by microwave-assisted synthesis. Formation of Ag nanoparticles in aqueous carboxymethylcellulose solutions in batch and continuous-flow reactors, *Nanoscale*, **2**, pp. 1441–1447 (2010).
- 118) M. Nomura, H. Oguro, K. Maeshima, S. Iida, S. Horikoshi, T. Sugiyama, A. Sugimori, M. Kajitani, Sulfur-centered and nitrogen-centered radical substitution reactions of aromatic CpCo(dithiolene) complex with 2,2'-dibenzothiazolyl disulfide, *J. Organometallic Chem.*, **695**, pp. 1613–1617 (2010).
- 119) S. Horikoshi, A. Tsuchida, M. Abe, N. Ohba, M. Uchida, N. Serpone, Microwave discharge electrodeless lamps (MDEL). V. Photo-induced killing of bacillus subtilis in simulated electroplating wastewaters, *JEMPI, IMPI43 Special Issue*, **44**, pp. 81–87 (2010).
- 120) S. Ito, W. Worakitkanchanakul, S. Horikoshi, H. Sakai, D. Kitamoto, T. Imura, S. Chavadej, R. Rujiravanit, N. Serpone, M. Abe, Photooxidative mineralization of microorganisms-produced glycolipid biosurfactants by a Titania-mediated advanced oxidation process, *J. Photochem. Photobiol. A:Chem.*, **209**, pp. 147–152 (2010).
- 121) S. Horikoshi, A. Matsubara, S. Takayama, M. Sato, F. Sakai, M. Kajitani, M. Abe, N. Serpone, Characterization of microwave effects on metal-oxide materials: Zinc oxide and titanium dioxide, *Appl. Catal. B: Environ.*, **91**, pp. 362–367 (2009).
- 122) 堀越 智, 化学反応におけるマイクロ波特殊効果の利用 —光触媒反応を例に—(総説), *塗装工学*, **44**, pp. 470–479 (2009).

- 123) 堀越 智, マイクロ波の周波数効果を利用した有機合成, 材料技術研究協会誌, **27**, pp. 124–130 (2009).
- 124) 宮田周一郎, 木村壮次郎, 堀越 智, 高周波誘導加熱の基礎から応用技術, 材料技術研究協会誌, **27**, pp. 143–150 (2009).
- 125) S. Horikoshi, A. Tsuchida, H. Sakai, M. Abe, S. Sato, N. Serpone, Microwave discharge electrodeless lamps (MDEL). IV. Energy saving in the MDEL photolysis of wastewaters using a novel metallic condensing cone to concentrate the microwave radiation, *Photochem Photobiol Sci.*, **8**, pp. 1618–1625 (2009).
- 126) S. Horikoshi, N. Serpone, Photochemistry with microwaves. Catalysts and environmental applications, (Review), *J. Photochem. Photobiol. C: Review*, **10**, pp. 96–110 (2009).
- 127) 堀越 智, マイクロ波光触媒による新しい高度酸化プロセス, ケミカルエンジニアリング, **4**, pp. 255–265 (2009). - No peer-reviewed.
- 128) 堀越 智, 二酸化チタン光触媒におけるマイクロ波効果 (総説), 無機マテリアル学会, **16**, pp. 251–259 (2009).
- 129) 野村光城, 堀越 智, 梶谷正次, 金属ジチオレン錯体 (総説), 色材協会誌, **82**, pp. 296–305 (2009).
- 130) S. Horikoshi, M. Abe, N. Serpone, Influence of alcoholic and carbonyl functions in microwave-assisted and photo-assisted oxidative mineralization, *Appl. Catal. B: Environ.*, **89**, pp. 284–287 (2009).
- 131) S. Horikoshi, F. Sakai, M. Kajitani, M. Abe, A. V. Emeline, N. Serpone, Microwave-specific effects in various TiO<sub>2</sub> specimens. Dielectric factors and degradation of 4-chlorophenol, *J. Phys. Chem. C*, **113**, pp. 5649–5657 (2009).
- 132) S. Horikoshi, F. Sakai, M. Kajitani, M. Abe, N. Serpone, Microwave frequency effects on the photoactivity of TiO<sub>2</sub>. Dielectric factors and the degradation of 4-chlorophenol, bisphenol A and methylene blue, *Chem. Phys. Lett.*, **470**, pp. 304–307 (2009).
- 133) S. Horikoshi, M. Abe, N. Serpone, Novel Light Sources in Photochemistry. Microwave discharge electrodeless lamps (MDEL) and their application in advanced oxidation processes, *Photochem. Photobiol. Sci.*, **8**, pp. 1087–1104 (2009).

- 134) 堀越 智, 阿部正彦, マイクロ波を用いた化学 – 環境保全への展開 (総説), 色材協会誌, **82**, pp. 69–75 (2009).
- 135) 堀越 智, 梶谷正次, ニック セルフォーン、阿部正彦, マイクロ波光触媒法を用いた 1,4-ジオキサンの迅速分解メカニズムの解明, 色材協会誌, **82**, pp. 51–55 (2009).
- 136) 堀越 智, 阿部正彦, マイクロ波励起無電極紫外線ランプ(MDEL)を用いた環境保全 (総説), 色材協会誌, **81**, pp. 449–458 (2008).
- 137) S. Horikoshi, J. Tsuzuki, M. Kajitani, M. Abe, N. Serpone, Microwave-enhanced radical reactions at ambient temperature. Part 3. Highly selective radical synthesis of 3-cyclohexyl-1-phenyl-1-butanone in a microwave double cylindrical cooled reactor, *New J. Chem.*, **32**, pp. 2257–2262 (2008).
- 138) S. Horikoshi, T. Hamamura, M. Kajitani, M. Yoshizawa-Fujita, N. Serpone, Green chemistry with a novel 5.8-GHz microwave apparatus. Prompt one-pot solvent-free synthesis of a major ionic liquid – The 1-butyl-3-methylimidazolium tetrafluoroborate system, *Org. Process. Res. Dev.* **12**, pp. 1089–1093, (2008).
- 139) S. Horikoshi, J. Tsuzuki, F. Sakai, M. Kajitani, N. Serpone, Microwave effect on the surface composition of the urushibara Ni hydrogenation catalyst and improved reduction of acetophenone, *Chem. Comm.*, pp. 4501–4503 (2008).
- 140) S. Horikoshi, T. Miura, M. Kajitani, N. Horikoshi, N. Serpone, Photodegradation of tetrahalobisphenol-A (X = Cl, Br) Flame retardants and delineation of factors affecting the process, *Appl. Catal. B: Environ.*, **84**, pp. 797–802 (2008).
- 141) S. Horikoshi, S. Iida, M. Kajitani, S. Sato, N. Serpone, Chemical Reactions with a Novel 5.8-GHz Microwave Apparatus. 1. Characterization of Properties of Common Solvents and Application in a Diels–Alder Organic Synthesis, *Org. Process. Res. Dev.* **12**, pp. 257–263 (2008).
- 142) S. Horikoshi, T. Miura, M. Kajitani, N. Serpone, Microwave discharge electrodeless lamps (MDEL). III. A novel tungsten-triggered MDEL device emitting VUV and UVC radiation for use in wastewater treatment, *Photochem. Photobiol. Sci.*, **7**, pp. 303–310 (2008).
- 143) S. Horikoshi, M. Kajitani, H. Hidaka, N. Serpone, Investigation of factors that influence

TiO<sub>2</sub> photoassisted degradations under simultaneous illumination by UV and microwave radiation fields, *J. Photochem. Photobiol. A:Chem.*, **196**, pp. 159–164 (2008).

- 144) S. Horikoshi, T. Miura, M. Kajitani, H. Hidaka, N. Serpone, A FT-IR (DRIFT) study of the influence of halogen substituents on the TiO<sub>2</sub>-assisted photooxidation of phenol and *p*-halophenols, *J. Photochem. Photobiol. A:Chem.*, **194**, pp. 189–199 (2008).
- 145) S. Horikoshi, M. Kajitani, N. Horikoshi, R. Dillert, D. W. Bahnemann, Use of microwave discharge electrodeless lamps (MDEL) II. Photodegradation of acetaldehyde over TiO<sub>2</sub> pellets, *J. Photochem. Photobiol. A:Chem.*, **193**, pp. 284–287 (2008).
- 146) H. Hidaka, H. Honjo, S. Horikoshi, N. Serpone, Photoinduced Ag<sub>n</sub><sup>0</sup> cluster deposition: Photoreduction of Ag<sup>+</sup> ions on a TiO<sub>2</sub>-coated quartz crystal microbalance monitored in real time, *Sensors Actuators B: Chem.*, **123**, pp. 822–828 (2007).
- 147) S. Horikoshi, N. Ohmori, M. Kajitani, N. Serpone, Microwave-enhanced bromination of a terminal alkyne in short time at ambient temperature: Synthesis of phenylacetylene bromide, *J. Photochem. Photobiol. A:Chem.*, **189**, pp. 374–379 (2007).
- 148) S. Horikoshi, M. Kajitani, S. Sato, N. Serpone, A novel environmental risk-free microwave discharge electrodeless lamp (MDEL) in advanced oxidation processes degradation of the 2,4-D herbicide, *J. Photochem. Photobiol. A:Chem.*, **189**, pp. 355–363 (2007).
- 149) S. Horikoshi, M. Kajitani, N. Serpone, The microwave-/photo-assisted degradation of bisphenol-A in aqueous TiO<sub>2</sub> dispersions revisited: Re-assessment of the microwave non-thermal effect, *J. Photochem. Photobiol. A:Chem.*, **188**, pp. 1–4 (2007).
- 150) H. Hidaka, H. Honjo, S. Horikoshi, N. Serpone, Photocatalyzed degradation on a TiO<sub>2</sub>-coated quartz crystal microbalance. Adsorption/desorption processes in real time in the degradation of benzoic acid and salicylic acid, *Catalysis Comm.*, **7**, pp. 331–335 (2006).
- 151) M. Carrier, N. Perol, J.-M. Herrmann, C. Bordes, S. Horikoshi, J. O. Paisse, R. Baudot, C. Guillard, Kinetics and reactional pathway of Imazapyr photocatalytic degradation Influence of pH and metallic ions, *Appl. Catal. B: Environ.*, **65**, pp. 11–20 (2006).
- 152) S. Horikoshi, A. Tokunaga, N. Watanabe, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave/UV-illumination method. IX. Peculiar hydrolytic and co-catalytic effects of platinum on the TiO<sub>2</sub> photocatalyzed degradation of

- the 4-chlorophenol toxin in a microwave radiation field, *J. Photochem. Photobiol. A:Chem.*, **177**, pp. 129–143 (2006).
- 153) N. Serpone, A. Salinaro, S. Horikoshi, H. Hidaka, Beneficial effects of photo-inactive titanium dioxide specimens on plasmid DNA, human cells and yeast cells exposed to UVA/UVB simulated sunlight, *J. Photochem. Photobiol. A:Chem.*, **179**, pp. 200–212 (2006).
- 154) N. Watanabe, S. Horikoshi, H. Hidaka, N. Serpone, On the recalcitrant nature of the triazinic ring species, cyanuric acid, to degradation in Fenton solutions and in UV-illuminated TiO<sub>2</sub> (naked) and fluorinated TiO<sub>2</sub> aqueous dispersions, *J. Photochem. Photobiol. A:Chem.*, **174**, pp. 229–238 (2005).
- 155) N. Watanabe, S. Horikoshi, A. Kawasaki, H. Hidaka, N. Serpone, Formation of refractory ring-expanded triazine intermediates during the photocatalyzed mineralization of the endocrine disruptor amitrole and related triazole derivatives at UV-irradiated TiO<sub>2</sub>/H<sub>2</sub>O interfaces, *Environ. Sci. Technol.*, **39**, pp. 2320–2326, (2005).
- 156) N. Serpone, J. Martin, S. Horikoshi, H. Hidaka, Photocatalyzed oxidation and mineralization of branched and oxidized C4 and C5 aliphatic acids in UV-irradiated aqueous Titania dispersions. Adsorption and degradation dynamics, *J. Photochem. Photobiol. A:Chem.*, **170**, pp. 51–60 (2005).
- 157) N. Serpone, J. Martin, S. Horikoshi, H. Hidaka, Photocatalyzed oxidation and mineralization of C1-C5 linear aliphatic acids in UV-irradiated aqueous Titania dispersions – Kinetics, identification of intermediates and quantum yields, *J. Photochem. Photobiol. A:Chem.*, **169**, pp. 235–251 (2005).
- 158) T. Oyama, A. Aoshima, S. Horikoshi, H. Hidaka, J. Zhao, N. Serpone, Solar photocatalysis, photodegradation of a commercial detergent in aqueous TiO<sub>2</sub> dispersions under sunlight irradiation, *Solar Energy*, **77**, pp. 525–532 (2004).
- 159) 日高久夫, 渡辺奈津子, 大山俊之, 堀越 智, 酸化チタン光触媒による汚染水の浄化と反応機構, マテリアルインテグレーション, **17**, pp. 26–29 (2004). - No peer-reviewed.
- 160) 日高久夫, 渡辺奈津子, 堀越 智, 二酸化チタン分散系における農薬の分解処理, セラミック, **39**, pp. 519–523 (2004).

- 161) S. Horikoshi, F. Houjo, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave / UV-illumination method. 8 Fate of carboxylic acids, aldehydes, and alkoxy carbonyl and phenolic substrates in a microwave radiation field in the presence of TiO<sub>2</sub> particles under UV irradiation, *Environ. Sci. Technol.*, **38**, pp. 2198–2208 (2004).
- 162) S. Horikoshi, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave/UV-illumination method. VI. A Simple modified domestic microwave oven integrating an electrodeless UV/Visible lamp to photodegrade environmental pollutants in aqueous media, *J. Photochem. Photobiol. A:Chem.*, **161**, pp. 221–225 (2004).
- 163) S. Horikoshi, A. Tokunaga, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave/UV-illumination method. VII. Thermal/nonthermal effects in the microwave-assisted photocatalyzed mineralization of bisphenol-A, *J. Photochem. Photobiol. A:Chem.*, **162**, pp. 33–40 (2004).
- 164) N. Watanabe, S. Horikoshi, K. Suzuki, H. Hidaka, N. Serpone, Mechanistic inferences of the photocatalyzed oxidation of chlorinated phenoxyacetic acids by electrospray mass spectral techniques and from calculated point charges and electron densities on all atoms, *New J. Chem.*, **27**, pp. 836–843 (2003).
- 165) S. Horikoshi, Y. Wada, N. Watanabe, H. Hidaka, N. Serpone, Near-quantitative mineralization of two refractory triazines under hydrothermal-supercritical aqueous conditions assisted by ozone and UV/ozone, *New J. Chem.*, **8**, pp. 1216–1223 (2003).
- 166) H. Hidaka, H. Honjou, S. Horikoshi, N. Serpone, Photocatalyzed degradations on a TiO<sub>2</sub>-coated quartz crystal microbalance. I. Adsorption/ desorption processes in the degradation of phenol and catechol, *New J. Chem.*, **27**, pp. 1371–1376 (2003).
- 167) N. Watanabe, S. Horikoshi, H. Kawabe, Y. Sugie, J. Zhao, H. Hidaka, Photodegradation mechanism for bisphenol A at the TiO<sub>2</sub>/H<sub>2</sub>O interfaces, *Chemosphere*, **52**, pp. 851–859 (2003).
- 168) S. Horikoshi, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave/UV-illumination method. IV. Non-thermal effects in the microwave-assisted degradation of 2,4-dichlorophenoxyacetic acid in UV-irradiated TiO<sub>2</sub>/H<sub>2</sub>O dispersions, *J. Photochem. Photobiol. A:Chem.*, **159**, pp. 289–300 (2003).
- 169) H. Hidaka, S. Horikoshi, T. Oyama, N. Watanabe, N. Serpone, Photocurrent generation in the photodegradation of water-soluble organic materials on a TiO<sub>2</sub> thin film electrode,

*Photoelectrochem. Photobio. Environ., Energy fuel*, **1**, pp. 101–117 (2003).

- 170) S. Horikoshi, A. Saitou, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave/UV-illumination method. 5. Thermal and non-thermal effects of microwave radiation on the photocatalyst and on the photodegradation of rhodamine-B dye under UV/Visible radiation, *Environ. Sci. Technol.*, **37**, pp. 5813–5822 (2003).
- 171) S. Horikoshi, H. Hidaka, N. Serpone, Hydroxyl radicals in microwave photocatalysis. Enhanced formation of OH radicals probed by ESR techniques in microwave-assisted photocatalysis in aqueous TiO<sub>2</sub> dispersions, *Chem. Phys. Lett.*, **376**, pp. 475–480 (2003).
- 172) S. Horikoshi, H. Hidaka, Non-degradable triazine substrates of atrazine and cyanuric acid hydrothermally and in supercritical water under the UV-illuminated photocatalytic cooperation, *Chemosphere*, **51**, pp. 139–142 (2003).
- 173) T. Zhang, T. Oyama, S. Horikoshi, J. Zhao N. Serpone, H. Hidaka, Photocatalytic decomposition of the sodium dodecylbenzene sulfonate surfactant in aqueous titania suspensions exposed to highly concentrated solar radiation and effects of additives, *Appl. Catal. B: Environ.*, **42**, pp. 13–24 (2003).
- 174) N. Watanabe, S. Horikoshi, H. Hidaka, pH dependence on photodecomposition of bisphenol A at TiO<sub>2</sub>/H<sub>2</sub>O interfaces, *J. Oleo Sci.*, **52**, pp. 47–52 (2003).
- 175) S. Horikoshi, N. Watanabe, H. Hidaka, N. Serpone, Photocurrent enhancement from an active hybrid TiO<sub>2</sub> film electrode fabricated by a sol-gel method: photocurrent generation during the photooxidation of 4-nonylphenol and 4-nonylphenol polyethoxylate on TiO<sub>2</sub>/OTE electrodes, *New J. Chem.*, **26**, pp. 1161–1166 (2002).
- 176) 堀越 智, 日高久夫, マイクロ波および光触媒を併用した有機汚染物質の新しい処理技術, *化学工業*, **53**, pp. 740–748 (2002). - No peer-reviewed.
- 177) S. Horikoshi, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave/UV-illumination method. 3. A microwave-powered plasma light source and photoreactor to degrade pollutants in aqueous dispersions of TiO<sub>2</sub> illuminated by the emitted UV/Visible radiation, *Environ. Sci. Technol.*, **36**, pp. 5229–5237 (2002).
- 178) S. Horikoshi, N. Watanabe, H. Onishi, H. Hidaka, N. Serpone, Photodecomposition of a nonylphenol polyethoxylate surfactant in a cylindrical photoreactor with TiO<sub>2</sub> immobilized fiberglass cloth, *Appl. Catal. B: Environ.*, **37**, pp. 117–129 (2002).

- 179) C. Guillard, S. Horikoshi, N. Watanabe, H. Hidaka, P. Pichat, Photocatalytic degradation mechanism for heterocyclic derivatives of triazolidine and triazole, *J. Photochem. Photobiol. A:Chem.*, **149**, pp. 155–168 (2002).
- 180) T. Zhang, T. Oyama, S. Horikoshi, H. Hidaka, J. Zhao, N. Serpone, Photocatalyzed N-demethylation and degradation of methylene blue in titania dispersions exposed to concentrated sunlight, *Solar Energy Mater. Solar Cells*, **73**, pp. 287–303 (2002).
- 181) S. Horikoshi, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave/UV-illumination method. 1. Microwave-assisted degradation of rhodamine-B dye in aqueous TiO<sub>2</sub> dispersions, *Environ. Sci. Technol.*, **36**, pp. 1357–1366 (2002).
- 182) S. Horikoshi, H. Hidaka, N. Serpone, Environmental remediation by an integrated microwave/UV-illumination method II. Characteristic of a novel UV-VIS-microwave integrated irradiation device in photodegradation processes, *J. Photochem. Photobiol.*, **153**, pp. 185–189 (2002).
- 183) G. Martra, S. Horikoshi, M. Anpo, S. Coluccia, H. Hidaka, FTIR study of adsorption and photodegradation of L- $\alpha$ -alanin on TiO<sub>2</sub> powder, *Res., Chem. Intermed.*, **28**, pp. 359–371 (2002).
- 184) 堀越 智, 日高久夫, マイクロ波および紫外線同時照射下での光触媒による色素の高速処理技術(総説), *色材協会誌*, **75**, pp. 180–188 (2002).
- 185) N. Serpone, A. Salinaro, A. V. Emeline, S. Horikoshi, H. Hisaka, J. Zhao, An *in vitro* systematic spectroscopic examination of the photostabilities of a random set of commercial sunscreen lotions and their chemical UVB/UVA active agents, *Photochem. Photobiol. Sci.*, **1**, pp. 970–981 (2002).
- 186) S. Horikoshi, N. Watanabe, M. Mukae, H. Hidaka, N. Serpone, Mechanistic examination of the titania photocatalyzed oxidation of ethanolamines, *New J. Chem.*, **25**, pp. 999–1005 (2001).
- 187) T. Zhang, T. Oyama, S. Horikoshi, J. Zhao, H. Hidaka, N. Serpone, Assessment and influence of operational parameters on the TiO<sub>2</sub> photocatalytic degradation of sodium benzene sulfonate under highly concentrated solar light illumination, *Solar Energy*, **71**, pp. 305–313 (2001).

- 188) S. Horikoshi, H. Hidaka, Photodegradation mechanism of heterocyclic two-nitrogen containing compounds in aqueous TiO<sub>2</sub> dispersions by computer simulation, *J. Photochem. Photobiol. A: Chem.*, **141**, pp. 201–208 (2001).
- 189) S. Horikoshi, H. Hidaka, N. Serpone, Photocatalyzed degradation of polymers in aqueous semiconductor suspensions V. Photomineralization of lactam ring-pendant polyvinylpyrrolidone at titania/water interfaces, *J. Photochem. Photobiol. A: Chem.*, **138**, pp. 69–77 (2001).
- 190) H. Hidaka, A. Ajisaka, S. Horikoshi, T. Oyama, K. Takeuchi, J. Zhao, N. Serpone, Comparative assessment of the efficiency of TiO<sub>2</sub>/OTE thin film electrodes fabricated by three deposition methods photoelectrochemical degradation of the DBS anionic surfactant, *J. Photchem. Photobiol. A: Chem.*, **138**, pp. 185–192 (2001).
- 191) 堀越 智, 日高久夫, 酸化チタン光触媒水分散での環境汚染物質の光分解, 臭気の研究誌, **32**, pp. 137–144 (2001). - No peer-reviewed.
- 192) S. Horikoshi, Y. Satou, H. Hidaka, N. Serpone, Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO<sub>2</sub> thin films immobilized on OTE electrodes, *J. Photochem. Photobiolol. A: Chem.*, **146**, pp. 109–119 (2001).
- 193) H. Hidaka, S. Horikoshi, J. Zhao, Photodegradation of surfactants in UV-illuminated aqueous TiO<sub>2</sub> dispersions (総説), *J. Oleo Sci.*, **1**, pp. 55–73 (2001).
- 194) G. Liu, X. Li, J. Zhao, S. Horikoshi, H. Hidaka, Photooxidation mechanism of dye alizarin red in TiO<sub>2</sub> dispersions under visible illumination: an experimental and theoretical examination, *J. Mol. Catal A: Chem.*, **153**, pp. 221–229 (2000).
- 195) K. Waki, J. Zhao, S. Horikoshi, N. Watanabe, H. Hidaka, Photooxidation mechanism of nitrogen-containing compounds at TiO<sub>2</sub>/H<sub>2</sub>O interfaces: an experimental and theoretical examination of hydrazine derivatives, *Chemosphere*, **41**, pp. 337–343 (2000).
- 196) 堀越 智, 渡辺奈津子, 日高久夫, 内分泌かく乱物質ノニルフェノールおよびノニルフェノールポリエキシレート界面活性剤の二酸化チタン光触媒による分解処理, 日本油化学会誌, **49**, pp. 631–369 (2000).
- 197) H. Hidaka, K. Ajisaka, S. Horikoshi, T. Oyama, J. Zhao, N. Serpone, Photodecomposition of amino acids and photocurrent generation on TiO<sub>2</sub>/OTE electrodes prepared by pulse

laser deposition, *Catal. Lett.*, **60**, pp. 95–98 (1999).

- 198) S. Horikoshi, J. Zhao, H. Hidaka, Photodegradation of surfactants. XIX: Photooxidation mechanism for nonionic dodecanoyl amide surfactants at TiO<sub>2</sub> / H<sub>2</sub>O interface, *J. Jpn. Oil Chem. Soc.*, **48**, pp. 767–774 (1999).
- 199) S. Horikoshi, N. Serpone, S. Yoshizawa, J. Knowland, H. Hidaka, Photocatalyzed degradation of polymers in aqueous semiconductor suspensions. IV. Theoretical and experimental examination of the photooxidative mineralization of constituent bases in nucleic acids at titania/water interfaces, *J. Photochem. Photobiol. A: Chem.*, **120**, pp. 63–74 (1999).
- 200) S. Horikoshi, N. Serpone, Y. Hisamatsu, H. Hidaka, Photocatalyzed degradation of polymers in aqueous semiconductor suspensions 3. Photooxidation of a solid polymer: TiO<sub>2</sub>-blended poly(vinyl chloride) film, *Environ. Sci. Technol.*, **32**, pp. 4010–4016 (1998).
- 201) S. Horikoshi, N. Serpone, J. Zhao, H. Hidaka, Towards a better understanding of the initial steps in the photocatalyzed mineralization of amino acids at the titania/water interface. An experimental and theoretical examination of L-alanine, L-serine and L-phenylalanine, *J. Photochem. Photobiol. A: Chem.*, **118**, pp. 123–129 (1998).
- 202) 堀越 智, 日高久夫, 半導体触媒 TiO<sub>2</sub> を用いた高分子の光分解 (総説), *色材協会誌*, **71**, pp. 176–185 (1998).
- 203) S. Horikoshi, M. Ohta, H. Hidaka, J. Zhao, N. Serpone, Photocatalyzed oxidation of water-soluble polyethyleneglycol at TiO<sub>2</sub> / H<sub>2</sub>O interfaces, *Recent Res. Develop. Polym. Sci.*; **1**, pp. 149–161 (1997).
- 204) R. Dunford, A. Salinaro, L. Cai, N. Serpone, S. Horikoshi, H. Hidaka, J. Knowland, Chemical oxidation and DNA damage catalyzed by inorganic sunscreens ingredients, *FEBS Lett.*, **418**, pp. 87–90 (1997).
- 205) H. Hidaka, S. Horikoshi, N. Serpone, J. Knowland, In vitro photochemical damage to DNA, RNA and their bases by an inorganic sunscreen agent on exposure to UVA and UVB radiation, *J. Photochem. Photobiol. A: Chem.*, **111**, pp. 205–213 (1997).
- 206) H. Hidaka, S. Horikoshi, K. Ajisaka, J. Zhao, N. Serpone, Fate of amino acids upon exposure to aqueous titania irradiation with UV-A and UV-B radiation. photocatalyzed formation of NH<sub>3</sub>, NO<sub>3</sub><sup>-</sup>, and CO<sub>2</sub>, *J. Photochem. Photobiol. A: Chem.*, **108**, pp. 197–205

(1997).

- 207) H. Hidaka, T. Shimura, K. Ajisaka, S. Horikoshi, J. Zhao, N. Serpone, Photoelectrochemical decomposition of amino acids on a TiO<sub>2</sub>/OTE particulate film electrode, *J. Photochem. Photobiol. A: Chem.*, **109**, pp. 165–170 (1997).
- 208) H. Hidaka, Y. Suzuki, K. Nohara, S. Horikoshi, Y. Hisamatsu, E. Pelizzetti, N. Serpone, Photocatalyzed degradation of polymers in aqueous semiconductor suspensions I: Photooxidation of solid particles of polyvinyl chloride, *J. Polym. Sci., Part A Polym. Chem.*, **34**, pp. 1311–1316 (1996).
- 209) H. Hidaka, H. Nagaoka, K. Nohara, T. Shimura, S. Horikoshi, J. Zhao, N. Serpone, A mechanistic study of the photoelectrochemical oxidation of organic compounds on a TiO<sub>2</sub>/TCO particulate film electrode assembly, *J. Photochem. Photobiol. A: Chem.*, **98**, pp. 73–78 (1996).
- 210) H. Hidaka, K. Nohara, S. Horikoshi, N. Tanaka, T. Watanabe, J. Zhao, N. Serpone, Photodegradation of surfactants XVIII: Total organic carbon measurements in the TiO<sub>2</sub>-assisted photomineralizatin of the surfactants, *J. Jpn. Oil Chem. Soc.*, **45**, pp. 21–28 (1996).
- 211) H. Hidaka, J. Zhao, S. Horikoshi, N. Serpone, E. Pelizzetti, The photodegradation of surfactants XVI: Photocatalytic effect of various semiconductors on the photooxidation of surfactants, *J. Jpn. Oil Chem. Soc.*, **44**, pp. 121–125 (1995).